

## CONTENTS OF VOLUME 33

- Allan, A. B.** See King, R. O., 335.
- Bannard, R. A. B. and Ross, J. H.** Aminomethionate salts. II. Optimum conditions for formation of monopotassium aminomethionate by the von Pechmann and Manck process, 317.
- Bartlet, J. C. and Farmilo, C. G.** The determination of the origin of opium. Part I. By means of the composition of the ash, 134.
- Bartlet, J. C., Kavanagh, D., and Chapman, R. A.** The determination of the fluoride content of edible bone meal, 348.
- Barton, B. C.** See Doak, K. W., 98.
- Beeckmans, J. M. L.** See Johnson, A. I., 434.
- Berkowitz, N.** Physicochemical studies on Alberta coals. I. Surface area measurements, 169.  
Physicochemical studies on Alberta coals. II. On the physical behavior of coal in ultrasonic fields, 378.
- Bleakney, H. H.** An evaluation of the recovery theory of creep, 56.
- Braid, P. E. and Langille, R. C.** A new type of impact machine for evaluating sensitiveness of explosives, 228.
- Butters, R. G. and Myers, H. P.** A low temperature attachment for an X-ray goniometer, 356.
- Butters, R. G. and Parr, J. G.** A high-temperature X-ray goniometer, 117.
- Campbell, J. E. and Heaps, H. S.** Transmission of stress through a thick slab supported by a yielding foundation, 324.
- Caule, E. J. and McCully, G.** An automatic recording analytical balance, 1.
- Chapman, R. A.** See Bartlet, J. C., 348.
- Clarke, R. M. and Wright, G. F.** The explosibility of wet ammonia-air mixtures, 161.
- Cole, D. G.** See Handegord, G. O., 303.
- Doak, K. W., Ganzhorn, G. H., and Barton, B. C.** Promoters for the reaction of rubber with carbon black, 98.
- Edwards, W. D.** A frequency stable transistor audio oscillator of very simple design, 413.
- Eng, J., Govier, G. W., and Quon, D.** The air blowing of Redwater asphalt base stock. The use of phosphorus pentoxide as an addition agent, 360.
- Farmilo, C. G.** See Bartlet, J. C., 134.
- Farnand, J. R., McIlhinney, A. E., Peterson, W. S., Gishler, P. E., and Puddington, I. E.** The chemical bleaching of hydrocarbon oils, 426.
- Fensom, D. S.** A comparison of the flow of high polymers in the cavity of a Mooney plastometer, 194.
- Ganzhorn, G. H.** See Doak, K. W., 98.
- Gevantman, L. H. and Sam, D.** The penetration of concrete by radionuclides in solution, 122.
- Gishler, P. E.** See Farnand, J. R., 426.
- Govier, G. W.** See Eng, J., 360.
- Green, B. C. and Spinks, J. W. T.** Automatic plotting of the position of a moving radioactively tagged object, 307.
- Handegord, G. O. and Cole, D. G.** An operation-time controller for a recording potentiometer, 303.
- Heaps, H. S.** See Campbell, J. E., 324.
- Hodgins, J. W. and Hoffman, T. W.** The storage and transfer of low potential heat. I. Glauber's salt as a heat storage material, 293.
- Hoffman, T. W.** See Hodgins, J. W., 293.
- Huang, C.-J.** See Johnson, A. I., 421.
- Johnson, A. I. and Beeckmans, J. M. L.** Statistical factors in tower packing, 434.
- Johnson, A. I. and Huang, C.-J.** Estimation of the heat capacities of organic liquids, 421.
- Kahana, S.** See Wait, J. R., 77.
- Kase, S.** Nomographs for evaluation of tensile data of rubber, 409.
- Kavanagh, D.** See Bartlet, J. C., 348.

## CONTENTS OF VOLUME 33

- Allan, A. B.** See King, R. O., 335.
- Bannard, R. A. B. and Ross, J. H.** Aminomethionate salts. II. Optimum conditions for formation of monopotassium aminomethionate by the von Pechmann and Manck process, 317.
- Bartlet, J. C. and Farmilo, C. G.** The determination of the origin of opium. Part I. By means of the composition of the ash, 134.
- Bartlet, J. C., Kavanagh, D., and Chapman, R. A.** The determination of the fluoride content of edible bone meal, 348.
- Barton, B. C.** See Doak, K. W., 98.
- Beeckmans, J. M. L.** See Johnson, A. I., 434.
- Berkowitz, N.** Physicochemical studies on Alberta coals. I. Surface area measurements, 169.  
Physicochemical studies on Alberta coals. II. On the physical behavior of coal in ultrasonic fields, 378.
- Bleakney, H. H.** An evaluation of the recovery theory of creep, 56.
- Braid, P. E. and Langille, R. C.** A new type of impact machine for evaluating sensitiveness of explosives, 228.
- Butters, R. G. and Myers, H. P.** A low temperature attachment for an X-ray goniometer, 356.
- Butters, R. G. and Parr, J. G.** A high-temperature X-ray goniometer, 117.
- Campbell, J. E. and Heaps, H. S.** Transmission of stress through a thick slab supported by a yielding foundation, 324.
- Caule, E. J. and McCully, G.** An automatic recording analytical balance, 1.
- Chapman, R. A.** See Bartlet, J. C., 348.
- Clarke, R. M. and Wright, G. F.** The explosibility of wet ammonia-air mixtures, 161.
- Cole, D. G.** See Handegord, G. O., 303.
- Doak, K. W., Ganzhorn, G. H., and Barton, B. C.** Promoters for the reaction of rubber with carbon black, 98.
- Edwards, W. D.** A frequency stable transistor audio oscillator of very simple design, 413.
- Eng, J., Govier, G. W., and Quon, D.** The air blowing of Redwater asphalt base stock. The use of phosphorus pentoxide as an addition agent, 360.
- Farmilo, C. G.** See Bartlet, J. C., 134.
- Farnand, J. R., McIlhinney, A. E., Peterson, W. S., Gishler, P. E., and Puddington, I. E.** The chemical bleaching of hydrocarbon oils, 426.
- Fensom, D. S.** A comparison of the flow of high polymers in the cavity of a Mooney plastometer, 194.
- Ganzhorn, G. H.** See Doak, K. W., 98.
- Gevantman, L. H. and Sam, D.** The penetration of concrete by radionuclides in solution, 122.
- Gishler, P. E.** See Farnand, J. R., 426.
- Govier, G. W.** See Eng, J., 360.
- Green, B. C. and Spinks, J. W. T.** Automatic plotting of the position of a moving radioactively tagged object, 307.
- Handegord, G. O. and Cole, D. G.** An operation-time controller for a recording potentiometer, 303.
- Heaps, H. S.** See Campbell, J. E., 324.
- Hodgins, J. W. and Hoffman, T. W.** The storage and transfer of low potential heat. I. Glauber's salt as a heat storage material, 293.
- Hoffman, T. W.** See Hodgins, J. W., 293.
- Huang, C.-J.** See Johnson, A. I., 421.
- Johnson, A. I. and Beeckmans, J. M. L.** Statistical factors in tower packing, 434.
- Johnson, A. I. and Huang, C.-J.** Estimation of the heat capacities of organic liquids, 421.
- Kahana, S.** See Wait, J. R., 77.
- Kase, S.** Nomographs for evaluation of tensile data of rubber, 409.
- Kavanagh, D.** See Bartlet, J. C., 348.

- King, R. O. and Allan, A. B.** The oxidation, decomposition, ignition, and detonation of fuel vapors and gases. XXV. The transition from spark to nuclear ignition as compression ratio is raised, 335.
- King, R. O. and Rand, M.** The oxidation, decomposition, ignition, and detonation of fuel vapors and gases. XXVII. The hydrogen engine, 445.
- King, R. O., Sandler, S., and Strom, R.** The oxidation, decomposition, ignition, and detonation of fuel vapors and gases. XXVI. The effect of flow configuration on the oxidation and ignition of hydrogen in mixtures with air supplied to vertical combustion tubes of various materials, 388.
- Kuzmak, J. M. and Sereda, P. J.** The blistering of paint in the presence of water, 67.
- Langille, R. C.** See Braid, P. E., 228.
- Lentz, C. P.** Humidification of cold storages: The jacket system, 265.
- McConnell, W. B.** Some characteristics of spray-dried wheat gluten, 256.
- McCully, G.** See Caule, E. J., 1.
- McIlhinney, A. E.** See Farnand, J. R., 426.
- Makow, D.** Fractional frequency generation by regenerative modulation, 41.
- Marris, A. W.** Fluid turbulence and suspended sediment, 470.
- Marshall, H. B.** See Newcombe, A. G., 152.
- Mateer, C. L.** Average insolation in Canada during cloudless days, 12.
- Mentel, T. J.** Plastic deformations due to dynamic loading of a beam with an attached mass, 237.
- Meredith, C. C. and Wright, G. F.** An apparatus for the determination of dipole moments, 182.
- Myers, H. P.** See Butters, R. G., 356.
- Newcombe, A. G. and Marshall, H. B.** The effect of chlorination and subsequent dechlorination on the tanning properties of ligninsulphonates, 152.
- Niven, C. D.** On the friction of rubber covered wheels on ice, 204.
- Parr, J. G.** See Butters, R. G., 117.
- Peterson, W. S.** See Farnand, J. R., 426.
- Puddington, I. E.** See Farnand, J. R., 426.
- Quon, D.** See Eng, J., 360.
- Raciszewski, Z. M., Spencer, E. Y., and Trevoy, L. W.** Chemical studies of a goitrogenic factor in rapeseed oilmeal, 1129.
- Rand, M.** See King, R. O., 445.
- Ross, J. H.** See Bannard, R. A. B., 317.
- Sam, D.** See Gevantman, L. H., 122.
- Sandler, S.** See King, R. O., 388.
- Sereda, P. J.** See Kuzmak, J. M., 67.
- Shu, P.** Automatic translation of aeration data between different fermentors, 279.
- Simpson, F. J.** Separation of starch and gluten. VII. The application of bacterial pentosanases to the recovery of starch from wheat flours, 33.
- Spencer, E. Y.** See Raciszewski, Z. M., 129.
- Spinks, J. W. T.** See Green, B. C., 307.
- Strom, R.** See King, R. O., 388.
- Trevoy, L. W.** See Raciszewski, Z. M., 129.
- Wait, J. R. and Kahana, S.** Calculated patterns of circumferential slots on a circular conducting cylinder, 77.
- Wait, J. R. and Walpole, R. E.** Calculated radiation characteristics of slots cut in metal sheets, 211.
- Walpole, R. E.** See Wait, J. R., 211.
- Whalley, E.** Thermodynamic properties of argon in the temperature range  $-100$  to  $+600^{\circ}\text{C}$ . and pressure range 0 to 80 atmospheres, 111.
- Wright, G. F.** See Clarke, R. M., 161; Meredith, C. C., 182.

## CORRECTION

Vol. 33, p. 353. In the first line of Item 4 under Procedure (Reagents) "0.75 gm. salicylic acid" should read "0.075 gm. salicylic acid".